



United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/649,966	08/26/2003	Shigeru Hiroki	1232-5116	7073
27123 7590 01/28/200 MORGAN & FINNEGAN, L.L.P.			EXAMINER	
3 WORLD FINANCIAL CENTER		KHAN, USMAN A		
NEW YORK, NY 10281-2101		ART UNIT	PAPER NUMBER	
		·	2622	
			NOTIFICATION DATE	DELIVERY MODE
			01/28/2008	ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

PTOPatentCommunications@Morganfinnegan.com Shopkins@Morganfinnegan.com jmedina@Morganfinnegan.com

		Application No.	Appli	icant(s)			
Office Action Summary		10/649,966		HIROKI, SHIGERU			
		Examiner	* Art U				
		Usman Khan	2622				
	The MAILING DATE of this communication app		eet with the corresp	ondence address			
Period fo							
WHIC - Exte after - If NC - Failu Any	ORTENED STATUTORY PERIOD FOR REPLY CHEVER IS LONGER, FROM THE MAILING DATE of time may be available under the provisions of 37 CFR 1.13 SIX (6) MONTHS from the mailing date of this communication. Operiod for reply is specified above, the maximum statutory period vere to reply within the set or extended period for reply will, by statute reply received by the Office later than three months after the mailing ed patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMI 36(a). In no event, however, vill apply and will expire SIX , cause the application to be	MUNICATION. may a reply be timely filed (6) MONTHS from the mailing one ABANDONED (35 U.	ing date of this communication. S.C. § 133).			
Status							
1)⊠	Responsive to communication(s) filed on 13 N	<u>ovember 2007</u> .					
2a)⊠	This action is FINAL. 2b) This action is non-final.						
3)□	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is						
	closed in accordance with the practice under E	x parte Quayle, 193	5 C.D. 11, 453 O.G	i. 213.			
Dispositi	ion of Claims						
4)⊠	Claim(s) 1-10 and 12-14 is/are pending in the a	application.					
	4a) Of the above claim(s) is/are withdrawn from consideration.						
	5) Claim(s) is/are allowed.						
	s)⊠ Claim(s) <u>1-10 and 12-14</u> is/are rejected.						
•	Claim(s) is/are objected to. Claim(s) are subject to restriction and/or	r election requireme	nt				
9)니	are subject to restriction and/or	r election requireme					
Applicati	on Papers						
•	The specification is objected to by the Examine		<u>.</u>				
10)⊠	10)⊠ The drawing(s) filed on <u>26 August 2003</u> is/are: a)⊠ accepted or b)□ objected to by the Examiner.						
	Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct	* · ·	·				
11)	The oath or declaration is objected to by the Ex	•	• • • •				
•							
-	ınder 35 U.S.C. § 119						
	Acknowledgment is made of a claim for foreign	priority under 35 U.	S.C. § 119(a)-(d) or	ſ (f) .			
a) _l	a) ⊠ All b) ☐ Some * c) ☐ None of:						
	 1.⊠ Certified copies of the priority documents have been received. 2.☐ Certified copies of the priority documents have been received in Application No 						
	3. Copies of the certified copies of the prior		* *				
	application from the International Bureau	·		-			
* See the attached detailed Office action for a list of the certified copies not received.							
Attachmen	• •	. □	andam Commence (DTC)	142)			
	e of References Cited (PTO-892) e of Draftsperson's Patent Drawing Review (PTO-948)	Par	erview Summary (PTO-4 per No(s)/Mail Date	<u></u> .			
3) 🔲 Infor	nation Disclosure Statement(s) (PTO/SB/08) r No(s)/Mail Date	5)	tice of Informal Patent Aper:	pplication			

Art Unit: 2622

Response to Arguments

Applicant's arguments filed on 11/13/2007 with respect to claims 1 – 10, and 12 - 14 have been considered but are not persuasive.

Regarding claims 1, 9, 10, and 12 – 14, Applicant argues as Applicant explained in the previously submitted Amendment, the cited reference (i.e., Enright) fails to show or suggest the inventive aspect of the present invention as discussed above, e.g., converting time information of the image into text data and transmitting the converted text data as a part of an electronic mail.

However as discussed in the previous office action it is clear from column 36, lines 32 et seq. and figures 62 – 72 that the email also includes information about the nature of the triggering event and capture time. Also it is inherent that the email will include time text data with the sensing condition since in column 36 lines 39 – 41 Enright et al. mentions that the recipient of the email receives useful information of the occurrence of the machine from figures 62 - 72; also figure 19 including time and date data.

Also, Applicant argues that Enright et al. fails to teach that the converted text data is separated from the image.

However, it is clear from column 36, lines 32 *et seq.*; figures 62 – 72, time data is separate from the image as seen; trigger/event type and capture time; Also it is inherent that the email will include time text data with the sensing condition since in column 36 lines 39 – 41 Enright et al. mentions that the recipient of the email receives useful

10/649,966 Art Unit: 2622

information of the occurrence of the machine from figures 62 - 72, time data is separate from the image as seen.

DETAILED ACTION

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

Claims 1 - 10, and 12 - 14 are rejected under 35 U.S.C. 102(e) as being anticipated by Enright et al. (US patent No. 6,583,813).

Regarding **claim 1,** Enright et al. discloses an image sensing apparatus comprising: setting means for setting a sensing condition for image sensing (figure 22; set up sequences); sense means for sensing an image in accordance with the sensing condition set by said setting means (figures 62 - 72; trigger/event type); converting means for converting time information of the image sensed at said sense means into text data (column 36, lines 32 *et seq.*; figures 62 - 72; trigger/event type and capture time; Also it is inherent that the email will include time text data with the sensing condition since in column 36 lines 39 – 41 Enright et al. mentions that the recipient of the email receives useful information of the occurrence of the machine from figures 62 -

10/649,966

Art Unit: 2622

72); and transmitting means for transmitting, by electronic mail, the sensing condition and the text data converted at said converting means as a part of electronic mail text message when the image was sensed by said sense means (column 36, lines 32 et seq.; emails also include information about the nature of the triggering event and capture time; Also it is inherent that the email will include time text data with the sensing condition since in column 36 lines 39 – 41 Enright et al. mentions that the recipient of the email receives useful information of the occurrence of the machine from figures 62 – 72; also figure 19 including time and date data).

Wherein the converted text data is separated from the image (column 36, lines $32 \ et \ seq.$; figures 62 - 72, time data is separate from the image as seen; trigger/event type and capture time; Also it is inherent that the email will include time text data with the sensing condition since in column 36 lines 39 - 41 Enright et al. mentions that the recipient of the email receives useful information of the occurrence of the machine from figures 62 - 72, time data is separate from the image as seen).

Regarding **claim 2**, Enright et al. discloses the apparatus according to claim 1, wherein said transmitting means transmits electronic mail having information indicating the sensing condition added to a message portion (figures 62 - 72; trigger/event type).

Regarding **claim 3**, Enright et al. discloses the apparatus according to claim 1, wherein said transmitting means transmits electronic mail having information indicating the sensing condition added to a subject portion (figures 62 - 72; trigger/event type).

Regarding claim 4, Enright et al. discloses the apparatus according to claim 1, wherein said transmitting means transmits the sensing condition together with the

Page 5

image sensed by said sense means (figures 61 - 72; trigger/event type).

Regarding claim 5, Enright et al. discloses the apparatus according to claim 1,

wherein the sensing condition set by said setting means includes any one of a specific

time (figure 72), a predetermined elapsed time (figure 56 and paragraph column 34

lines 19 et seq.), sensor detection by an external sensor (figures 62 - 72; trigger/event

type), detection of a sound level higher than a predetermined level (column 39 lines 16

et seq.; sound detection from microphone detecting stress levels of the sound), and

operation of a sensing button (column 40 lines 27 - 39;panic button).

Regarding claim 6, Enright et al. discloses the apparatus according to claim 1,

wherein said transmitting means can transmit image stored in an external memory

(figure 10 and column 28 lines 51 et seq.; image from image server, this image also

including image data), and also transmits, when transmitting image stored in the

external memory, information indicating that the transmitted image is an image that has

been stored in the external memory (figure 10 and column 28 lines 51 et seq.; image

from image server, this image also including image data).

10/649,966

Art Unit: 2622

Regarding **claim 7**, Enright et al. discloses the apparatus according to claim 1, wherein the time information includes a time at which the image was sensed by said sense means (figures 62 - 72; trigger/event type and capture time; Also it is inherent that the email will include time text data with the sensing condition since in column 36 lines 39 - 41 Enright et al. mentions that the recipient of the email receives useful information of the occurrence of the machine from figures 62 - 72).

Regarding claim 8, Enright et al. discloses the apparatus according to claim 1, further comprising transfer means for transferring the image sensed by said sense means to a server connected to a network (figure 10; image server, network), wherein said transmitting means transmits link address information for specifying the image transmitted to the server, together with the sensing condition (figures 62 - 72; image name which can be used as a link for the image and the trigger/event type included in the transfer of the image).

Regarding **claim 9,** Enright et al. discloses an image sensing apparatus comprising: setting means for setting a sensing condition for image sensing (figure 22; set up sequences); sense means for sensing an image in accordance with the sensing condition set by said setting means (figures 62 - 72; trigger/event type); converting means for converting time information of the image sensed at said sense means into text data (column 36, lines 32 et seq.; figures 62 - 72; trigger/event type and capture time; Also it is inherent that the email will include time text data with the sensing

condition since in column 36 lines 39 - 41 Enright et al. mentions that the recipient of the email receives useful information of the occurrence of the machine from figures 62 - 72); and transmitting means for transmitting, by electronic mail, the sensing condition and the text data converted at said converting means as a part of electronic mail text message indicating a time at which the image was sensed by said sense means (column 36, lines 32 et seq.; emails includes information about the nature of the triggering event and capture time; Also it is inherent that the email will include time text data with the sensing condition since in column 36 lines 39 - 41 Enright et al. mentions that the recipient of the email receives useful information of the occurrence of the machine from figures 62 - 72; also figure 19 including time and date data).

Wherein the converted text data is separated from the image (column 36, lines $32 \ et \ seq$.; figures 62 - 72, time data is separate from the image as seen; trigger/event type and capture time; Also it is inherent that the email will include time text data with the sensing condition since in column 36 lines 39 - 41 Enright et al. mentions that the recipient of the email receives useful information of the occurrence of the machine from figures 62 - 72, time data is separate from the image as seen).

Regarding claim 10, Enright et al. discloses an image sensing apparatus comprising: setting means for setting a sensing condition for image sensing (figure 22; set up sequences); sense means for sensing an image in accordance with the sensing condition set by said setting means (figures 62 - 72; trigger/event type); converting means for converting time information of the image sensed at said sense means into

10/649,966

Art Unit: 2622

text data (column 36, lines 32 *et seq.*; figures 62 - 72; trigger/event type and capture time); and electronic mail creating means for creating to which the sensing condition under which the image was sensed by said sense means and the text data converted at said converting means as a part of electronic mail text message are added (column 36, lines 32 *et seq.*; emails also include information about the nature of the triggering event also as seen in figure 68 the capture time is included in the transfer; Also it is inherent that the email will include time text data with the sensing condition since in column 36 lines 39 – 41 Enright et al. mentions that the recipient of the email receives useful information of the occurrence of the machine from figures 62 - 72; also figure 19 including time and date data).

Wherein the converted text data is separated from the image (column 36, lines 32 et seq.; figures 62 – 72, time data is separate from the image as seen; trigger/event type and capture time; Also it is inherent that the email will include time text data with the sensing condition since in column 36 lines 39 – 41 Enright et al. mentions that the recipient of the email receives useful information of the occurrence of the machine from figures 62 - 72, time data is separate from the image as seen).

Regarding **claim 12,** Enright et al. discloses a control method for an image sensing apparatus comprising: a storing step of storing a sensing condition for image sensing (figure 61; filter conditions/alarms); a sensing step of sensing an image in accordance with the sensing condition stored in the storing step (figures 62 - 72; trigger/event type it is inherent that this trigger/event will be recognized in accordance to

10/649,966

Art Unit: 2622

a predetermined input such as the sensing condition stored); converting step for converting time information of the image sensed at said sensing step into text data (column 36, lines 32 et seq.; figures 62 - 72; trigger/event type and capture time; Also it is inherent that the email will include time text data with the sensing condition since in column 36 lines 39 – 41 Enright et al. mentions that the recipient of the email receives useful information of the occurrence of the machine from figures 62 - 72); and a transmitting step of transmitting, by electronic mail, the sensing condition and the text data converted at said converting step as a part of electronic mail text message when the image was sensed was sensed in the sensing step (column 36, lines 32 et seq.; emails also include information about the nature of the triggering event; Also it is inherent that the email will include time text data with the sensing condition since in column 36 lines 39 – 41 Enright et al. mentions that the recipient of the email receives useful information of the occurrence of the machine from figures 62 - 72; also figure 19 including time and date data).

Wherein the converted text data is separated from the image (column 36, lines 32 et seq.; figures 62 – 72, time data is separate from the image as seen; trigger/event type and capture time; Also it is inherent that the email will include time text data with the sensing condition since in column 36 lines 39 – 41 Enright et al. mentions that the recipient of the email receives useful information of the occurrence of the machine from figures 62 - 72, time data is separate from the image as seen).

10/649,966

Art Unit: 2622

Regarding claim 13, Enright et al. discloses a control method for an image sensing apparatus comprising: a storing step of storing a sensing condition for image sensing (figure 61; filter conditions/alarms); a sensing step of sensing an image in accordance with the sensing condition stored in the storing step (figures 62 - 72; trigger/event type it is inherent that this trigger/event will be recognized in accordance to a predetermined input such as the sensing condition stored); converting step for converting time information of the image sensed at said sensing step into text data (column 36, lines 32 et seq.; figures 62 - 72; trigger/event type and capture time; Also it is inherent that the email will include time text data with the sensing condition since in column 36 lines 39 - 41 Enright et al. mentions that the recipient of the email receives useful information of the occurrence of the machine from figures 62 - 72); and a transmitting step of transmitting, by electronic mail, the text data converted at said converting step as a part of electronic mail text message indicating a time at which the image was sensed in the sensing step (column 36, lines 32 et seq.; emails also include information about the nature of the triggering event; Also it is inherent that the email will include time text data with the sensing condition since in column 36 lines 39 - 41 Enright et al. mentions that the recipient of the email receives useful information of the occurrence of the machine from figures 62 - 72; also figure 19 including time and date data).

Wherein the converted text data is separated from the image (column 36, lines 32 et seq.; figures 62 – 72, time data is separate from the image as seen; trigger/event type and capture time; Also it is inherent that the email will include time text data with

10/649,966

Art Unit: 2622

the sensing condition since in column 36 lines 39 – 41 Enright et al. mentions that the recipient of the email receives useful information of the occurrence of the machine from figures 62 - 72, time data is separate from the image as seen).

Regarding claim 14, Enright et al. discloses a control method for an image sensing apparatus comprising: a storing step of storing a sensing condition for image sensing (figure 61; filter conditions/alarms); a sensing step of sensing an image in accordance with the sensing condition stored in the storing step (figures 62 - 72; trigger/event type it is inherent that this trigger/event will be recognized in accordance to a predetermined input such as the sensing condition stored); converting step for converting time information of the image sensed at said sensing step into text data (column 36, lines 32 et seq.; figures 62 - 72; trigger/event type and capture time; Also it is inherent that the email will include time text data with the sensing condition since in column 36 lines 39 - 41 Enright et al. mentions that the recipient of the email receives useful information of the occurrence of the machine from figures 62 - 72); and an electronic mail creating step of creating electronic mail to which the sensing condition when the image was sensed in the sensing step and the text data converted at said converting step as a part of electronic mail text message are added (column 34 lines 8 -18; column 36, lines 32 et seq.; emails also include information about the nature of the triggering event also as seen in figure 68 the capture time is included in the transfer; Also it is inherent that the email will include time text data with the sensing condition since in column 36 lines 39 - 41 Enright et al. mentions that the recipient of the email

receives useful information of the occurrence of the machine from figures 62 - 72; also figure 19 including time and date data).

Wherein the converted text data is separated from the image (column 36, lines 32 et seq.; figures 62 – 72, time data is separate from the image as seen; trigger/event type and capture time; Also it is inherent that the email will include time text data with the sensing condition since in column 36 lines 39 – 41 Enright et al. mentions that the recipient of the email receives useful information of the occurrence of the machine from figures 62 - 72, time data is separate from the image as seen).

Conclusion

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

10/649,966

Art Unit: 2622

Page 13

examiner should be directed to Usman Khan whose telephone number is (571) 270-

Any inquiry concerning this communication or earlier communications from the

1131. The examiner can normally be reached on Mon-Thru 6:45-4:15; Fri 6:45-3:15 or

Alt. Fri off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor. David Ometz can be reached on (571) 272-7593. The fax phone number for

the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the

Patent Application Information Retrieval (PAIR) system. Status information for

published applications may be obtained from either Private PAIR or Public PAIR.

Status information for unpublished applications is available through Private PAIR only.

For more information about the PAIR system, see http://pair-direct.uspto.gov. Should

you have questions on access to the Private PAIR system, contact the Electronic

Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a

USPTO Customer Service Representative or access to the automated information

system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Usman Khan 01/14/2008

Patent Examiner

Art Unit 2622

DAVID OMETZ

SUPERVISORY PATENT EXAMINER